Contents to volume 246

Research Letters

Pyruvate decarboxylase is like acetolactate synthase (*ILV2*) and not like the pyruvate dehydrogenase E1 subunit (FEB 06936) *J.B.A. Green* 1

Studies on the mechanism of inhibition of nuclear triiodothyronine binding by fatty acids (FEB 06935) *F.R.M. van der Klis, W.M. Wiersinga, J.J.M. de Vijlder* 6

The nucleotide sequence of the genes coding for the S19 and L22 equivalent ribosomal proteins from *Halobacterium halobium* (FEB 06932) *A.S. Mankin* 13

Identification of the high-molecular-mass mitochondrial oxaloacetate *keto-enol* tautomerase as inactive aconitase (FEB 06933) *Yu.O. Belikova, A.B. Kotlyar, A.D. Vinogradov* 17

Identification of single-strand initiation signals in the *terC* region of the *Escherichia coli* chromosome (FEB 06934) *H. Hiasa, H. Sakai, T. Komano* 21

Characterization of vesicles, containing an acylated oligopeptide, released by human colon adenocarcinoma cells: NMR and biochemical studies (FEB 06953) *R. Masella, A. Cantafora, L. Guidoni, A.M. Luciani, G. Mariutti, A. Rosi, V. Viti* 25

Association of phosphatidylinositol kinase and phosphatidylinositol 4-phosphate kinase activities with the cytoskeleton in human platelets (FEB 06937) *N. Nahas, M. Plantavid, G. Mauco, H. Chap* 30

Phosphatidylinositol turnover in human monocyte-derived macrophages by native and acetyl LDL (FEB 06938) *Y. Ishikawa, Y. Asaoka, T. Taniguchi, M. Tsunemitsu, H. Fukuzaki* 35

Nucleotide sequence of the aliphatic amidase regulator gene (*amiR*) of *Pseudomonas aeruginosa* (FEB 06939) *N. Lowe, P.M. Rice, R.E. Drew* 39

Characterisation and partial purification of a novel prohormone processing enzyme from ovine adrenal medulla (FEB 06940) *N. Tezapsidis, D.C. Parish* 44

Characterisation of the reactivity of autoantibodies in primary biliary cirrhosis (FEB 06941) *S.P.M. Fussey, M.F. Bassendine, O.F.W. James, S.J. Yeaman* 49

Methylation of hen erythrocyte DNA (FEB 06942) *R.L.P. Adams, C.L. So* 54

Human testis cDNA for the regulatory subunit RII_α of cAMP-dependent protein kinase encodes an alternate amino-terminal region (FEB 06943) *O. Øyen, F. Myklebust, J.D. Scott, V. Hansson, T. Jahnsen* 57

Reduced lateral mobility of a fluorescent lipid analog in cell membranes of rat fibroblasts transformed by simian virus 40 (FEB 06944) *Y. Kawasaki, J.-L. Zundel, T. Miyakawa, K. Sakaguchi* 65

Chicken red-sensitive cone visual pigment retains a binding domain for transducin (FEB 06945) *Y. Fukada, T. Okano, I.D. Artamonov, T. Yoshizawa* 69

Binding of murine monoclonal antibodies to the active and inactive configurations of aequorin (FEB 06946) *M. Watanabe, S. Kurihara, S. Inouye, T. Ohno* 73

Level of protein kinase C activity correlates directly with resistance to adriamycin in murine fibrosarcoma cells (FEB 06947) *C.A. O'Brian, D. Fan, N.E. Ward, C. Seid, I.J. Fidler* 78

Interaction of BlaI, the repressor for the β-lactamase gene of *Bacillus licheniformis*, with the *blaP* and *blaI* promoters (FEB 06948) *M.J. Grossman, I.H.A. Curran, J.O. Lampen* 83

Cloning and expression of an interleukin-1β precursor and its conversion to interleukin-1β (FEB 06949) *H. Dalbøge, S. Bayne, T. Christensen, K.R. Hejnæs* 89

cDNA and derived amino acid sequence of the hypusine containing protein from *Dictyostelium discoideum* (FEB 06950) *U. Sandholzer, M. Centea-Intemann, A.A. Noegel, F. Lottspeich* 94

Kidney fatty acid-binding protein: identification as α_{2U}-globulin (FEB 06951) *H. Kimura, S. Odani, J. Suzuki, M. Arakawa, T. Ono* 101

NMR study of the alkaline isomerization of ferricytochrome *c* (FEB 06952) *X. Hong, D.W. Dixon* 105

On the biosynthesis of free and covalently bound PQQ: Glutamic acid decarboxylase from *Escherichia coli* is a pyridoxo-quinoprotein (FEB 06957) *R.A. van der Meer, B.W. Groen, J.A. Duine* 109

Degradation of quinaldine by *Alcaligenes* sp. and by *Arthrobacter* sp. (FEB 06959) *G. Dembek, T. Rommel, F. Lingens, H. Höke* 113

Generation of O_2^- and tyrosine cation-mediated chemiluminescence during the fertilization of sea urchin eggs (FEB 06956) *A. Takahashi, H. Totsune-Nakano, M. Nakano, S. Mashiko, N. Suzuki, C. Ohma, H. Inaba* 117

Epoxidation of *cis* and *trans* Δ^9-unsaturated lauric acids by a cytochrome P-450-dependent system from higher plant microsomes (FEB 06958) *J.-P. Salaün, D. Weissbart, F. Durst, P. Pflieger, C. Mioskowski* 120

α_1-Adrenergic stimulation causes Mg^{2+} release from perfused rat liver (FEB 06931) *A. Jakob, J. Becker, G. Schöttli, G. Fritzsch* 127

Prosomes discriminate between mRNA of adenovirus-infected and uninfected HeLa cells (FEB 06955) *A. Horsch, C. Martins de Sa, B. Dineva, E. Spindler, H.-P. Schmid* 131

Protein synthesis inhibitors and catalytic RNA: Effect of puromycin on tRNA precursor processing by the RNA component of *Escherichia coli* RNase P (FEB 06954) *A. Vioque* 137

The 23 kDa polypeptide of the photosynthetic oxygen-evolving complex from mustard seedlings (*Sinapis alba* L.): Nucleotide sequence of cDNA and evidence for phytochrome control of its mRNA abundance (FEB 06960) *A. Wenng, B. Ehmann, E. Schäfer* 140

Published by Elsevier Science Publishers B.V. (Biomedical Division)

00145793/89/$3.50 © 1989 Federation of European Biochemical Societies

Contents to volume 246

Research Letters

Pyruvate decarboxylase is like acetolactate synthase (*ILV2*) and not like the pyruvate dehydrogenase E1 subunit (FEB 06936) *J.B.A. Green* 1

Studies on the mechanism of inhibition of nuclear triiodothyronine binding by fatty acids (FEB 06935) *F.R.M. van der Klis, W.M. Wiersinga, J.J.M. de Vijlder* 6

The nucleotide sequence of the genes coding for the S19 and L22 equivalent ribosomal proteins from *Halobacterium halobium* (FEB 06932) *A.S. Mankin* 13

Identification of the high-molecular-mass mitochondrial oxaloacetate *keto-enol* tautomerase as inactive aconitase (FEB 06933) *Yu.O. Belikova, A.B. Kotlyar, A.D. Vinogradov* 17

Identification of single-strand initiation signals in the *terC* region of the *Escherichia coli* chromosome (FEB 06934) *H. Hiasa, H. Sakai, T. Komano* 21

Characterization of vesicles, containing an acylated oligopeptide, released by human colon adenocarcinoma cells: NMR and biochemical studies (FEB 06953) *R. Masella, A. Cantafora, L. Guidoni, A.M. Luciani, G. Mariutti, A. Rosi, V. Viti* 25

Association of phosphatidylinositol kinase and phosphatidylinositol 4-phosphate kinase activities with the cytoskeleton in human platelets (FEB 06937) *N. Nahas, M. Plantavid, G. Mauco, H. Chap* 30

Phosphatidylinositol turnover in human monocyte-derived macrophages by native and acetyl LDL (FEB 06938) *Y. Ishikawa, Y. Asaoka, T. Taniguchi, M. Tsunemitsu, H. Fukuzaki* 35

Nucleotide sequence of the aliphatic amidase regulator gene (*amiR*) of *Pseudomonas aeruginosa* (FEB 06939) *N. Lowe, P.M. Rice, R.E. Drew* 39

Characterisation and partial purification of a novel prohormone processing enzyme from ovine adrenal medulla (FEB 06940) *N. Tezapsidis, D.C. Parish* 44

Characterisation of the reactivity of autoantibodies in primary biliary cirrhosis (FEB 06941) *S.P.M. Fussey, M.F. Bassendine, O.F.W. James, S.J. Yeaman* 49

Methylation of hen erythrocyte DNA (FEB 06942) *R.L.P. Adams, C.L. So* 54

Human testis cDNA for the regulatory subunit RII_α of cAMP-dependent protein kinase encodes an alternate amino-terminal region (FEB 06943) *O. Øyen, F. Myklebust, J.D. Scott, V. Hansson, T. Jahnsen* 57

Reduced lateral mobility of a fluorescent lipid analog in cell membranes of rat fibroblasts transformed by simian virus 40 (FEB 06944) *Y. Kawasaki, J.-L. Zundel, T. Miyakawa, K. Sakaguchi* 65

Chicken red-sensitive cone visual pigment retains a binding domain for transducin (FEB 06945) *Y. Fukada, T. Okano, I.D. Artamonov, T. Yoshizawa* 69

Binding of murine monoclonal antibodies to the active and inactive configurations of aequorin (FEB 06946) *M. Watanabe, S. Kurihara, S. Inouye, T. Ohno* 73

Level of protein kinase C activity correlates directly with resistance to adriamycin in murine fibrosarcoma cells (FEB 06947) *C.A. O'Brian, D. Fan, N.E. Ward, C. Seid, I.J. Fidler* 78

Interaction of BlaI, the repressor for the β-lactamase gene of *Bacillus licheniformis*, with the *blaP* and *blaI* promoters (FEB 06948) *M.J. Grossman, I.H.A. Curran, J.O. Lampen* 83

Cloning and expression of an interleukin-1β precursor and its conversion to interleukin-1β (FEB 06949) *H. Dalbøge, S. Bayne, T. Christensen, K.R. Hejnæs* 89

cDNA and derived amino acid sequence of the hypusine containing protein from *Dictyostelium discoideum* (FEB 06950) *U. Sandholzer, M. Centea-Intemann, A.A. Noegel, F. Lottspeich* 94

Kidney fatty acid-binding protein: identification as α_{2U}-globulin (FEB 06951) *H. Kimura, S. Odani, J. Suzuki, M. Arakawa, T. Ono* 101

NMR study of the alkaline isomerization of ferricytochrome *c* (FEB 06952) *X. Hong, D.W. Dixon* 105

On the biosynthesis of free and covalently bound PQQ: Glutamic acid decarboxylase from *Escherichia coli* is a pyridoxo-quinoprotein (FEB 06957) *R.A. van der Meer, B.W. Groen, J.A. Duine* 109

Degradation of quinaldine by *Alcaligenes* sp. and by *Arthrobacter* sp. (FEB 06959) *G. Dembek, T. Rommel, F. Lingens, H. Höke* 113

Generation of O_2^- and tyrosine cation-mediated chemiluminescence during the fertilization of sea urchin eggs (FEB 06956) *A. Takahashi, H. Totsune-Nakano, M. Nakano, S. Mashiko, N. Suzuki, C. Ohma, H. Inaba* 117

Epoxidation of *cis* and *trans* Δ^9-unsaturated lauric acids by a cytochrome P-450-dependent system from higher plant microsomes (FEB 06958) *J.-P. Salaün, D. Weissbart, F. Durst, P. Pflieger, C. Mioskowski* 120

α_1-Adrenergic stimulation causes Mg^{2+} release from perfused rat liver (FEB 06931) *A. Jakob, J. Becker, G. Schöttli, G. Fritzsch* 127

Prosomes discriminate between mRNA of adenovirus-infected and uninfected HeLa cells (FEB 06955) *A. Horsch, C. Martins de Sa, B. Dineva, E. Spindler, H.-P. Schmid* 131

Protein synthesis inhibitors and catalytic RNA: Effect of puromycin on tRNA precursor processing by the RNA component of *Escherichia coli* RNase P (FEB 06954) *A. Vioque* 137

The 23 kDa polypeptide of the photosynthetic oxygen-evolving complex from mustard seedlings (*Sinapis alba* L.): Nucleotide sequence of cDNA and evidence for phytochrome control of its mRNA abundance (FEB 06960) *A. Wenng, B. Ehmann, E. Schäfer* 140

Published by Elsevier Science Publishers B.V. (Biomedical Division)

00145793/89/$3.50 © 1989 Federation of European Biochemical Societies

Cloning and expression of a novel rat $GABA_A$ receptor (FEB 06879) *S.J. Lolait, A.-M. O'Carroll, K. Kusano, J.-M. Muller, M.J. Brownstein, L.C. Mahan* 145

Formation of an ion transport supercomplex in *Escherichia coli*: An experimental model of direct transduction of energy (FEB 06961) *K.A. Bagramyan, S.M. Martirosov* 149

Interleukin 3 and phorbol ester stimulate tyrosine phosphorylation of overlapping substrate proteins (FEB 06962) *D.K. Ferris, J. Willette-Brown, T. Martensen, W.L. Farrar* 153

Purification and partial characterization of a lectin from the seeds of *Trichosanthes kirilowii* Maximowicz (FEB 06963) *A.I. Falasca, A. Abbondanza, L. Barbieri, A. Bolognesi, C.A. Rossi, F. Stirpe* 159

Isolation and some properties of mammalian hepatic membrane lectins (FEB 06964) *N. Ali, A. Salahuddin* 163

Chemical characterization of ligand binding site fragments from turkey β-adrenergic receptor (FEB 06965) *Y. Eshdat, M.-P. Chapot, A.D. Strosberg* 166

Selective cleavage at lysine of the 50 kDa-20 kDa connector loop segment of skeletal myosin S-1 by endoproteinase Arg-C (FEB 06966) *R. Bertrand, J. Derancourt, R. Kassab* 171

Leukotriene C_4 inhibits ATP-dependent transport of glutathione *S*-conjugate across rat heart sarcolemma: Implication for leukotriene C_4 translocation mediated by glutathione *S*-conjugate carrier (FEB 06967) *T. Ishikawa* 177

Nonmuscle actin ADP-ribosylated by botulinum C2 toxin caps actin filaments (FEB 06968) *C. Weigt, I. Just, A. Wegner, K. Aktories* 181

A developmentally regulated gene product from *Dictyostelium discoideum* shows high homology to human α-L-fucosidase (FEB 06969) *A. Müller-Taubenberger, M. Westphal, A. Noegel, G. Gerisch* 185

A new species of enkephalin precursor mRNA with a distinct 5'-untranslated region in haploid germ cells (FEB 06970) *K. Yoshikawa, K. Maruyama, T. Aizawa, A. Yamamoto* 193

Differences in 23 S rRNA-protein neighbourhood in *Escherichia coli* 70 S ribosomes and 70 S initiation complex: Probing by bifunctional Pt(II)-containing reagent (FEB 06971) *P.G. Chistyakov, A.G. Venjaminova, S.N. Vladimirov, D.M. Graifer, S.A. Kazakov, G.G. Karpova* 197

An ATP dependence of mitochondrial F_1-ATPase inactivation by the natural inhibitor protein agrees with the alternating-site binding-change mechanism (FEB 06972) *Ya.M. Milgrom* 202

Mutation in phenol-type herbicide resistance maps within the *psb*A gene in *Synechocystis* 6714 (FEB 06974) *G. Ajlani, I. Meyer, C. Vernotte, C. Astier* 207

Expression of the blue copper protein azurin from *Pseudomonas aeruginosa* in *Escherichia coli* (FEB 06975) *B.G. Karlsson, T. Pascher, M. Nordling, R.H.A. Arvidsson, L.G. Lundberg* 211

Solubilization and partial purification of a thylakoidal enzyme of spinach involved in the processing of D1 protein (FEB 06973) *N. Inagaki, S. Fujita, K. Satoh* 218

Evidence for the photo-induced oxidation of the primary electron donor P680 in the isolated photosystem II reaction centre (FEB 06976) *A. Telfer, J. Barber* 223

Sequencing of peracetylated oligosaccharides by rotating-frame nuclear Overhauser enhancement spectroscopy (FEB 06977) *J. Dabrowski, A. Ejchart, R. Bruntz, H. Egge* 229

DNA sequence-specific adducts of adriamycin and mitomycin C (FEB 06979) *D.R. Phillips, R.J. White, C. Cullinane* 233

Author Index 241

Table of Contents 244

Notes to Authors 246